

2024 COLLECTION

CARVING ENDLESS

CARVING

INTRODUCTION

The ceramic industry is a wide industry with a multitude of products. In this industry, when it comes to the quality of ceramic surfaces, Icon is a leading name. We manufacture and export a variety of digital glazed vitrified tiles. These tiles are crafted to provide our customers with a high standard of living with products that are the mark of sophistication and quality.

We understand that every space is different and therefore we have customized tiles of different sizes that are suitable to fit every space. Now, you don't have to compromise about your design style and can give your space the perfect ambiance that you always desired with Icon.

ONE SIZE TO ADAPT TO DIFFERENT SETTINGS.



AN ADVENTUROUS EXPLORATION






Surfaces that inspire different moods.





The magnificent landscapes of Mother Earth offer many moods and harbor varied feelings that encapsulate a million memories. Inspired by these magnificent landscapes, we designed surfaces that elevate the aura of a place.

WHERE CAN OUR TILES BE INSTALLED?



Give a refreshing makeover to your **WALLS**



Our ceramic tiles reach their utmost expression in 60x120 cm size. They bring decorative harmony to every space they are installed. They bring the focus to the walls and floors of the space with their luxurious appeal. In addition to the walls and the floors, these tiles can also be applied to small-sized furniture.

These tiles bring style and passion to a place with their impeccable look and unique view.





Give customized look to your **FURNITURE**

Small-sized furniture includes the staircase, tabletops, basins, pillars, benches, etc.

YOUR SPACE, OUR TILING SOLUTION!

The 60x120 cm tiles reflect a fusion of elegance and the profound beauty of nature. Their trendy natural hues and prolific designs uplifted with extraordinary textures define the style of spaces of all kinds.

These tiles are crafted keeping in mind the different moods of residential and commercial spaces. With details in every touch and unique design of these tiles, one can deliver a defined message about the decor fulling the need of urban architectural styles.



Residential space

Commercial space

LIVING ROOM KITCHEN BEDROOM BATHROOM WORK SPACE KIDS ROOM HOTEL
RESTAURANT
CORPORATE OFFICE
PUBLIC SPACES
HOSPITAL
BANK








CR E BULGARI WHITE


SIZE :-600x1200 mm





CR E BULGARI NATURAL


SIZE :- 600x1200 mm





CR E BURGASS BEIGE

SIZE :- 600x1200 mm





CR E BURGASS BROWN


SIZE :- 600x1200 mm





CR E BYRENE NATURAL


SIZE :- 600x1200 mm





CR E CANYON SILVER


SIZE :- 600x1200 mm





CR E CANYON GREY

SIZE :- 600x1200 mm





CR E CANYON NATURAL


SIZE :-600x1200 mm





CR E CASON BEIGE

SIZE :-600x1200 mm





CR E CASON GREY

SIZE :- 600x1200 mm





CR E DEXTER NATURAL LIGHT


SIZE :- 600x1200 mm





CR E DEXTER NATURAL

SIZE :- 600x1200 mm





CR E DOLS SATVARIO


SIZE :-600x1200 mm





CR E EDGE BROWN

SIZE :- 600x1200 mm





CR E EDGE GREY


SIZE :- 600x1200 mm





CR E EDGE NATURAL


SIZE :- 600x1200 mm





CR E ENIGMA BEIGE

SIZE :- 600x1200 mm





CR E ENIGMA NATURAL

SIZE :- 600x1200 mm





CR E ENIGMA GREY

SIZE :- 600x1200 mm






CR E JARVIS BEIGE


SIZE :- 600x1200 mm





CR E JARVIS BROWN

SIZE :- 600x1200 mm






CR E JARVIS GREY


SIZE :- 600x1200 mm





CR E LIBIYA BROWN


SIZE :- 600x1200 mm





CR E LIBIYA GREY

SIZE :- 600x1200 mm





CR E LIBIYA NERO


SIZE :-600x1200 mm





CR E ORACLE LIGHT GREY

SIZE :- 600x1200 mm





CR E ORACLE DARK GREY


SIZE :- 600x1200 mm





CR E OSMOND BEIGE


SIZE :- 600x1200 mm





CR E OSMOND BROWN


SIZE :- 600x1200 mm





CR E OSMOND SILVER


SIZE :- 600x1200 mm






CR E OSMOND GREY

SIZE :- 600x1200 mm





r e nvinin satvarin


SIZE :- 600x1200 mm





CR E PANAMA BROWN

SIZE :- 600x1200 mm





CR E PANAMA ALMOND


SIZE :- 600x1200 mm





CR E PANAMA BEIGE


SIZE :- 600x1200 mm






CR E PANAMA SILVER

SIZE :- 600x1200 mm





CR E RELIEF BIANCO

SIZE :- 600x1200 mm





CR E RELIEF NERO

SIZE :- 600x1200 mm





CR E RELIEF SALMON

SIZE :- 600x1200 mm





CR E ROMILLY NATURAL


SIZE :- 600x1200 mm





CR E SOMALIA BOTTOCHINO GREY

SIZE :- 600x1200 mm





CR E SOMALIA BOTTOCHINO

SIZE :-600x1200 mm





CR E SPENICE BEIGE

SIZE :- 600x1200 mm






CR E SPENICE COFFEE


SIZE :- 600x1200 mm





CR E SPENICE NATURAL

SIZE :-600x1200 mm





CR E TOSCANA BIANCO


SIZE :- 600x1200 mm





CR E TOSCANA BEIGE

SIZE :- 600x1200 mm






CR E TOSCANA PEACH

SIZE :- 600x1200 mm








CR CANIA BEIGE


SIZE :- 600x1200 mm





CR CANIA BROWN

SIZE :- 600x1200 mm





CR CANIA WHITE


SIZE :- 600x1200 mm






CR CANIA GREY

SIZE :- 600x1200 mm





CR FENDY BROWN


SIZE :- 600x1200 mm





CR CR FENDY GREY


SIZE :- 600x1200 mm





CR VERONA SATVARIO

SIZE :- 600x1200 mm



TECHNICAL SPECIFICATION

PACKING DETAILS

SR. NO	PRODUCT	NOMINAL SIZE	THICKNESS	TILES PER BOX	COVERAGE AREA
1	VITRIFIED TILES	600x1200mm	8.50mm	2	1.44 Sq. Mtr.

REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	Min 4%	GLOSSOMETER
STRUCTURAL PROPERTIES				
Water absorption	< 0.50 %	<0.05%	<0.05%	ISO-10545-3
Apparent density	> 2.0 g/cc	>2.10 g/cc	>2.10 g /cc	DIN 51082
MASSIVE MECHANICAL PROP	ERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm²	Min. 40 N/mm²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROP				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYGROMETRIC PRO	PERTIES			
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁶	Max. 6.5x10 ⁻⁶	Max. 6.5 x 10 ⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
CASSIV DRODERIUS	1			
SAFETY PROPERTIES	A	2.10	-5.15	150 .05:5
Slip resistance	As per mfg.	>0.40	>0.40	ISO-10545-17
Fire resistance	As per mfg.	Fire proof	Fire proof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	Does not yield Pb & Cd	ISO-10545-15